

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008
 Expiration Date: July 31, 2015

SECTION A - PROPERTY INFORMATION

A1. Building Owner's Name Landmark 24 Homes			FOR INSURANCE COMPANY USE		
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 227 Tahoe Drive			Policy Number:		
City Pooler			State GA	ZIP Code 31322	
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Lot 14, Forest Lakes Subdivision, Phase 4, 8 th G.M. District, City of Pooler, Chatham County, Georgia (SMB 50, page 60), PIN: 5-1014C-03-037.					
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) <u>Residential</u>					
A5. Latitude/Longitude: Lat. <u>32.1495</u> Long. <u>-81.2706</u> Horizontal Datum: <input type="checkbox"/> NAD 1927 <input checked="" type="checkbox"/> NAD 1983					
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.					
A7. Building Diagram Number <u>1B</u>					
A8. For a building with a crawlspace or enclosure(s):					
a) Square footage of crawlspace or enclosure(s)		<u>N/A</u>	sq ft	A9. For a building with an attached garage:	
b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade		<u>N/A</u>		a) Square footage of attached garage <u>432</u> sq ft	
c) Total net area of flood openings in A8.b		<u>N/A</u>	sq in	b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade <u>3</u>	
d) Engineered flood openings? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				c) Total net area of flood openings in A9.b <u>696</u> sq in	
				d) Engineered flood openings? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP Community Name & Community Number City of Pooler 130261		B2. County Name Chatham		B3. State GA	
B4. Map/Panel Number 13051C0019	B5. Suffix H	B6. FIRM Index Date 7/7/2014	B7. FIRM Panel Effective/Revised Date 7/7/2014	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 20.0'
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. <input type="checkbox"/> FIS Profile <input checked="" type="checkbox"/> FIRM <input type="checkbox"/> Community Determined <input type="checkbox"/> Other/Source: _____					
B11. Indicate elevation datum used for BFE in Item B9: <input type="checkbox"/> NGVD 1929 <input checked="" type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other/Source: _____					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Designation Date: _____ <input type="checkbox"/> CBRS <input type="checkbox"/> OPA <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction
 *A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.
 Benchmark Utilized: Local Vertical Datum: NAVD 1988

Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1929 NAVD 1988 Other/Source: _____
 Datum used for building elevations must be the same as that used for the BFE.

a) Top of bottom floor (including basement, crawlspace, or enclosure floor)	<u>21.3</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
b) Top of the next higher floor	<u>31.8</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
c) Bottom of the lowest horizontal structural member (V Zones only)	<u>N/A</u>	<input type="checkbox"/> feet <input type="checkbox"/> meters
d) Attached garage (top of slab)	<u>19.1</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)	<u>21.4</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
f) Lowest adjacent (finished) grade next to building (LAG)	<u>18.0</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
g) Highest adjacent (finished) grade next to building (HAG)	<u>18.8</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	<u>N/A</u>	<input type="checkbox"/> feet <input type="checkbox"/> meters

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No

Check here if attachments.

Certifier's Name Terry Mack Coleman License Number GA RLS# 2486

Title President Company Name Coleman Company Inc.

Address 17 Park of Commerce, Suite 201 City Savannah State GA ZIP Code 31405

Signature [Signature] Date 10/26/15 Telephone (912)200-3041




ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 227 Tahoe Drive			Policy Number:
City Pooler	State GA	ZIP Code 31322	Company NAIC Number:

SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments Section A8d: Engineered vent model USA FLOOD/AIR FOUNDATION FLOOD VENT. See attached certification.
Section B9: Base flood elevation is 20' NAVD88 + 1' freeboard as required by City of Pooler Flood Damage Prevention Ordinance.
Section C2e: Lowest elevation of machinery servicing building is top of HVAC compressor pad.

Signature  Date 10/21/15

SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

- E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).
 - a) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ feet meters above or below the HAG.
 - b) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ feet meters above or below the LAG.
- E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8–9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is _____ feet meters above or below the HAG.
- E3. Attached garage (top of slab) is _____ feet meters above or below the HAG.
- E4. Top of platform of machinery and/or equipment servicing the building is _____ feet meters above or below the HAG.
- E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G.

SECTION F – PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner's or Owner's Authorized Representative's Name _____

Address _____	City _____	State _____	ZIP Code _____
Signature _____	Date _____	Telephone _____	

Comments _____

Check here if attachments.

SECTION G – COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.

- G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3. The following information (Items G4–G10) is provided for community floodplain management purposes.

G4. Permit Number _____	G5. Date Permit Issued _____	G6. Date Certificate Of Compliance/Occupancy Issued _____
-------------------------	------------------------------	---

- G7. This permit has been issued for: New Construction Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building: _____ feet meters Datum _____
- G9. BFE or (in Zone AO) depth of flooding at the building site: _____ feet meters Datum _____
- G10. Community's design flood elevation: _____ feet meters Datum _____

Local Official's Name _____	Title _____
Community Name _____	Telephone _____
Signature _____	Date _____

Comments _____

Check here if attachments.

Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.

Policy Number:

227 Tahoe Drive

City
Pooler

State
GA

ZIP Code
31322

Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

FRONT VIEW
9/24/2015



REAR VIEW
9/24/2015



RIGHT SIDE VIEW
9/24/2015



LEFT SIDE VIEW
9/24/2015



Building Photographs

Continuation Page

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.
227 Tahoe Drive

City
 Pooler

State
 GA

ZIP Code
 31322

FOR INSURANCE COMPANY USE

Policy Number:

Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.

FLOOD VENT - EXTERIOR
 10/8/2015



FLOOD VENT - INTERIOR
 10/8/2015





Certification of Engineered Flood Openings

In accordance with NFIP, FEMA Technical Bulletin 1-08 and ASCE/SEI 24-05

Certification Statement

I hereby certify that the flood vents manufactured by USA Foundation Flood Air Vents (Model No's FO-316, FA-316, FOAL, FAAL, RFPC and RFSS) are designed in accordance with the requirements of the 2011 NFIP "Flood Insurance Manual" to provide automatic equalization of hydrostatic flood loads on exterior walls by allowing the automatic entry and exit of floodwaters during floods up to and including the base 100-year flood. The flood vents must be installed and sized properly as set forth by the requirements below. This certification follows the design requirements and specifications that are established in FEMA Technical Bulletin 1-08 and ASCE/SEI 24-05.

Design Characteristics

I hereby certify that I have measured the flood vent models listed below. I have also calculated the maximum total enclosed area that can be served by each individual model based on the net area of the opening using the equation taken from ASCE/SEI 24-05, Section 2.6.2.2 and the following design assumptions listed below.

Design Assumptions:

- The rates of rise and fall have been assumed to be 5 feet per hour.
- The maximum difference between the exterior and interior floodwater levels have been assumed to be 1 foot during base flood conditions.
- A factor of safety of 5 has been used in the design.

Area of Engineered Openings per ASCE 24, Section 2.6.2.2

$$A_o = (0.0333)[1/c]R(A_e) \rightarrow A_e = A_o / [(0.0333)[1/c]R]$$

Where:

A_o =	Total Net Area of Openings Required (in ²)
0.033 =	Coefficient Corresponding to a Factor of Safety of 5.0 (in ² .hr/ft ³)
c =	Opening Coefficient (Non-Dimensional; see ASCE 24, Table 2-2)
R =	Worst Case Rate of Rise and Fall (ft/hr)
A_e =	Total Enclosed Area (ft ²)

Maximum Area Coverage in Square Feet per Vent for each Model

Model	Height (in.)	Width (in.)	A_o (in. ²)	Constant (in ² .hr/ft ³)	c	R (ft/hr)	A_e (ft ²)
FO-316	7.00	15.50	108.50	0.0330	0.400	5	263
FA-316	7.00	15.50	108.50	0.0330	0.400	5	263
FOAL-W	7.00	15.50	108.50	0.0330	0.400	5	263
FOAL-B	7.00	15.50	108.50	0.0330	0.400	5	263
FOAL-G	7.00	15.50	108.50	0.0330	0.400	5	263
FAAL-W	7.00	15.50	108.50	0.0330	0.400	5	263
FAAL-B	7.00	15.50	108.50	0.0330	0.400	5	263
FAAL-G	7.00	15.50	108.50	0.0330	0.400	5	263
RFPC	7.00	13.75	96.25	0.0330	0.398	5	232
RFSS	7.00	13.75	96.25	0.0330	0.398	5	232

*Note: (A_e) is the maximum total enclosed area that can be served for each individual model based on the net area of the opening (A_o)

Limitations and Installation Requirements

This certification will be voided in its entirety if the following installation requirements and limitations are not enforced. USA Foundation Flood Air Vents and Conn Engineering Consultants, Inc. do not recommend or authorize any modifications to the flood vents and will not be held liable for improper installation or modification of the flood vents.

FEMA/ NFIP Limitations and Installation Requirements:

- A minimum of two openings having a total net area of not less than one square inch for every square foot of enclosed area subject to flooding shall be provided.
- The bottom of all openings shall be no higher than one foot above grade that is immediately under each opening.
- Openings may be equipped with screens, louvers, valves or other coverings or devices provided that they permit the automatic entry and exit of floodwaters.
- It is recommended that openings be reasonably distributed around the perimeter of the enclosed area unless there is clear justification for putting all openings on just one or two sides (such as in townhouses or buildings set into sloping sites).
- Where analysis indicates rates of rise and fall greater than 5 feet per hour, the total enclosed area shall be reduced accordingly.

Design Professional

Name / Title: Jason M. Conn, P.E. President, Conn Engineering Consultants, Inc.
 Address: 107 N. Bridge St., Linden, MI 48451
 License Type: Professional Engineer
 State: Georgia
 License Number: PE033867

Installation Address

Customer and Installation Address:
 227 Tahoe Drive
 Pooler, GA

Model Installed

Model Number: RFPC
 Maximum total enclosed area that can be served for EACH individual vent: 232 Square Feet

Professional Engineering Seal

